



UNITECH ELEVATORS

◆ Installation ◆ Upgrading ◆ Service



CORPORATE OFFICE :

33, Manickam Street,
Swaminathapuram,
Salem- 636 009.

PH : 0427-2351566, 90255 04466

E-mail : unitechelevators2014@gmail.com

Website : unitechelevators.com



DOORS

We manufacture Elevators with Manual and automatic doors. Various types of manual doors and automatic doors are available to suit the site conditions and also to suit the needs of various costumers.

TYPES DOORS


Manual Door
Power Operated Door (Auto-Door)

RANGE OF MANUAL DOORS

People continue to erect monumental sky croppers and make small buildings handicap accessible, elevators will become an even more pervasive element in the society. Manual Doors includes Collapsible, Swing, Imperforated and Telescopic Doors.



COLLAPSIBLE



SWING



IMPERFORATED



TELESCOPIC

RANGE OF AUTO-DOORS

The Automatic Doors at grocery Stores and Office buildings mainly exist for convenience. On the other hand, they are absolutely essential and keep people from falling down an open shaft. We offer Full-Vision, Half-Vision, Centre Opening Doors as well as MS-Telescopic Doors Where there is a space constraint.




FULL - VISION



HALF-VISION



CENTER OPENING




MS-TELESCOPIC

RANGE OF CABINS

We manufacture Elevator with various types of cabins to suite the Taste of every client. We have a range which starts from Mild Steel Powder coated cabines to Premium designer Stainless Steel Cabins.


MILD STEEL POWDER COATED CABINS

The powder coating process is done very carefully seeing to it that each of the panels is perfectly done. This prevents the Mild Steel material from rust.



STAINLESS STEEL CABINS

Stainless Steel Hairline Finish Cabin give a good feel to the cabin, do not need painting for lifetime. We use Grade-304 Stainless Steel so as to avoid any rust from taking place and rust from taking place and lasts throughout for time. The center panel on the rear side of the cabin is made from the stainless steel mirror finish sheets. This adds to the overall feel and is also a better option ascompared to using glass mirrors as there will be no break- age or need for replacement.




MACHINE ROOM - LESS ELEVATOR




Greatness in Trivialness Intellectual and Outstand

UNITECH ELEVATOR machine room-less elevator series resolves the restriction to the elevator in the construction, building cost, building design style, use range. At the same time of saving the space and cost, it provides the passengers with upper level intellectual, effective and stable travel.



Machine room of the ordinary elevator



Machine room -less elevator



- * Well optimal design has effectively save 10% construction areas.
- * Being equipped with green drive and energy conservation device, energy conservation has reached 30%
- * Machine roomless concept makes the design of building more free and comfortable .



Machine room-less elevator parameter table

Persons	Load (kg)	Speed (m/s)	Net size of car(mm)	Net size of door(mm) D.WxD.H	Shaft size (mm)		
			C.WxC.DxD.H	2p Central Opening	H.WxH.D	HR.H	PIT
6	450	1.0	1100*1100*2300	800*2100	2050*1850	4200	1500
8	630	1.0	1400*1100*2300	800*2100	2250*1900	4200	1500
		1.5 / 1.75				4400	1600
10	800	1.0	1400*1350*2300	800*2100	2250*1950	4200	1500
		1.5 / 1.75				4400	1600
		2.0				4800	1800
		2.5				4800	2000
13	1000	1.0	1500*1550*2300	900*2100	2350*2150	4200	1500
		1.5/1.75				4400	1600
		2.0				4800	1800
		2.5				4800	2000
21	1600	1.0	1900*1800*2300	1100*2100	2850*2400	4500	1500
		1.5/1.75				4700	1600
		2.0				4900	1800
		2.5				5100	2000
26	2000	1.0	1900*2200*2300	1100*2100	2900*2600	4500	1500
		1.5/1.75				4700	1600
		2.0				4900	1800

Note: Reference only, for detail information, please contact UNITECH ELEVATOR.



HOSPITAL ELEVATOR



Warm Concern A Beautiful Humanity World


UNITECH ELEVATORS hospital elevators are not just used in delivering passengers. Because of its use particularity, it has special and strict requirements to the elevator use properties. UNITECH ELEVATORS can accurately control the elevators' running speed. It brings about the smooth and comfortable travel.

UNITECH ELEVATORS hospital elevator lays special importance upon the humane design. It fully optimizes the car structure. It satisfies the clients' use requirements to the greatest extent. It creates a peaceful and graceful space for vast passengers.


UNITECH ELEVATOR hospital elevator satisfies the needs of emergency patients' delivery. It applies humanization design and is equipped with a full set of top equipments. It is smooth and comfortable in running.




Center opening type



Side opening type



Opposite door




Hospital elevator Parameter table

Persons	Load (kg)	Speed (m/s)	Net Size of car (mm)	Net Size of door (mm)	Shaft Size (mm)			Machine room size (mm)	
			C.Wx C.DxD.H	D.WxD.H	H.WxH.D	HR.H	PIT	MR. WxMR.D	MR.H
21	1600	1.0	1400*2400*2300	1100*2100	2550*2900	4500	1500	2550*2900	2500
		1.5/1.75				4700	1600		
		2.0				4900	1800		
		2.5				5100	2000		
24	1800	1.0	1600*2400*2300	1200*2100	2750*2900	4500	1500	2750*2900	2500
		1.5/1.75				4700	1600		
		2.0				4900	1800		
		2.5				5100	2000		
26	2000	1.0	1700*2400*2300	1200*2100	2850*2900	4500	1500	2850*2900	2500
		1.5/1.75				4700	1600		
		2.0				4900	1800		
		2.5				5100	2000		

Note : Reference only, for detail information, please contact UNITECH elevator.



Geared Machine



Gearless Machine



Hydraulic Machine




Single phase Machine



UNITECH ELEVATORS

♦ Installation ♦ Upgrading ♦ Service

TECHNICAL DETAILS



AUTOMATIC ELEVATOR									
LOAD		CAR SIZE		LIFT WELL		ENT.	MACHINE ROOM		
PERSON	WEIGHT (IN KG)	WIDTH	DEPTH	WIDTH	DEPTH		WIDTH	DEPTH	HEIGHT
		A	B	C	D	E	F	G	H
4	272	900	800	1500	1200	700	2500	3000	2100
5	340	1000	850	1500	1400	700	2500	3000	2100
6	408	1100	1000	1600	1545	700	2700	3000	2100
8	544	1300	1100	1800	1800	800	3000	3500	2100
10	680	1350	1300	1900	2000	800	3000	3500	2100
13	884	2000	1100	2500	1900	900	3000	3500	2100
16	1088	2000	1300	2500	2100	1000	3500	4200	2100



CAPSULE ELEVATOR						
LOAD		CAR SIZE		LIFT WELL		ENT.
PERSON	WEIGHT (IN KG)	WIDTH	DEPTH	WIDTH	DEPTH	
		AA	BB	AH	BH	JJ
6	408	1060	1700	2000	1200	800
8	544	1060	1800	2000	1350	800
10	680	1060	1900	2000	1400	1000
13	884	1300	2000	2400	1500	1000




CAR ELEVATOR					
LOAD	CAR SIZE		LIFT WELL		ENT.
WEIGHT (IN KG)	WIDTH	DEPTH	WIDTH	DEPTH	
	A	B	C	D	E
MANUAL					
3000	2500	5400	3400	6000	2400
AUTOMATIC					
3000	2500	5400	3400	6000	2400

HOSPITAL ELEVATOR						
LOAD		CAR SIZE		LIFT WELL		ENT.
PERSON	WEIGHT (IN KG)	WIDTH	DEPTH	WIDTH	DEPTH	
		A	B	C	D	E
15	1020	950	2400	1700	3000	800
20	1360	1300	2400	2200	3000	1000
16	1768	1770	2400	2350	3000	1200

GOOD CUM PASSENGER ELEVATOR					
LOAD	CAR SIZE		LIFT WELL		ENT.
WEIGHT (IN KG)	WIDTH	DEPTH	WIDTH	DEPTH	
	A	B	C	D	E
800	1550	1500	2000	2000	800
1000	1400	1800	2300	2100	900
1500	1700	2000	2500	2300	1200
2000	1700	2500	2600	2800	1500
3000	2000	3000	2800	3300	1700

All Dimensions are in mm size.

* Note : This is our Standard Date, if other Special Requirement Please Contact us.



Chennai

No.11, Singaravelan Street,
Kasthuribai Nagar, West Tambaram,
Chennai - 600045
Cell : 95855 92291, 91595 04466

Coimbatore

18/27, Kattapomman Street,
First Left Cross, Genapathy,
Coimbatore - 641 006.
Cell : 90255 04679

Factory

3/10A, Mettu Vellala Street,
Kondalampatty Bypass,
Salem-636 010. Cell : 96007 74058

Hosur

5/444, Sakthi Complex, 1st Floor,
Chinna Elasagiri, Hosur - 635 126.
Cell : 94880 80179, 94880 80169

Kallakurichi

5 Thiruvam Main Road ,
opp. Darling Digital world, Kallakurichi.
Cell : 95855 92295

Namakkal

No 189 Salem Main Road,
Namakkal Fort, Namakkal-637001.
Cell : 90255 04477